BELKIN®

N1 VISION
WIRELESS ROUTER

BELKIN®

N1 VISION
WIRELESS ROUTER

Belkin's N1 Vision wireless router shows relevant network information on its interactive network display. You can quickly view your network's broadband speed, computer bandwidth usage, and the status of your network devices—all from an easy-to-read display.





WIRELESS COVERAGE

Ideal usage: streaming video, music, and photos; online gaming; surfing the Web; chatting with friends; and emailing. For optimal wireless performance, use N1 clients in your network.

Belkin's N1 Vision wireless router is easy to set up with a true Plug-and-Play "CD-less" setup feature and comes with simple network security instructions through the LCD.

BELKIN®

Package Includes:

N1 Vision Wireless Router
Quick Installation Guide
CD with User Manual
Power Supply
RJ45 Ethernet Networking Cable

Free 24/7 Tech Support
1-877-736-5771

System Requirements:

Computer running Windows® 2000, XP, or Vista™; Mac OS® X v10.4x

Broadband Internet with RJ45 (Ethernet) connection

At least one computer with an installed network interface card

TCP/IP networking protocol installed on each computer

Internet browser

Specifications

Compatible with:
IEEE 802.11g
IEEE 802.11b
IEEE 802.11n draft 2.0*
IEEE 802.3ab

Ports:
WAN – 1 Gigabit port
LAN – 4 Gigabit ports

Security:
Wi-Fi Protected Setup™
WPA™, WPA2™
64-/128-bit WEP encryption
Multiple SSID

VPN Support:
PPTP
IPSec pass-through

Browser-Based Management

Plug-and-Play Setup

Maximum Users:
253 (LAN)
16 (WLAN)

Patent-Pending LCD:
- Network Display
- Download/Upload Speedometer
- Usage
- Connected Devices
- Guest Access Network

Operating Range:
Up to 1,600 ft**

Link Rate:
Up to 300Mbps in 20/40MHz Channel Mode

NOTE: The standard transmission rate—300Mbps—is the physical data rate. Actual data throughput will be lower.

Screens are a representation of Belkin's interactive network display. Actual download and upload speeds will depend on your Internet service provider.

BELKIN®

N1 VISION
WIRELESS ROUTER

N1 MIMO



The most advanced interactive network display

BELKIN®



BELKIN®
www.belkin.com

Belkin International, Inc.
310-898-1100
Los Angeles, CA 90220, USA

Belkin Ltd.
+61 (0) 2 4350 4600
Tuggerah, Australia

© 2007 Belkin International, Inc. All rights reserved. All trade names are registered trademarks of respective manufacturers listed. The marks Wi-Fi Protected Setup, WPA, and WPA2 are trademarks of the Wi-Fi Alliance. The "Wi-Fi CERTIFIED" logo is a certification mark of the Wi-Fi Alliance. Mac OS and the Mac logo are trademarks of Apple Inc., registered in the U.S. and other countries. Windows, Windows Vista, and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

*Belkin N1 Products: N1 Vision (F5D8232-4), N1 Wireless Router (F5D8231-4), N1 Wireless Notebook Card (F5D8011), N1 Wireless USB Adapter (F5D8051), N1 Wireless ExpressCard Adapter (F5D8071), and N1 Wireless Desktop Card (F5D8001) are compliant to the IEEE 802.11n 2.0 draft specification. Although Belkin incorporates all mandatory elements of the IEEE 802.11n draft 2.0 specification and designs the software to be upgradeable once the standard is finalized, Belkin cannot guarantee upgradeability.

**Products were tested in an outdoor environment. Actual speed and distance will vary depending on interference, network traffic, building materials, and other conditions. Range and speed are determined using a Belkin N1 Vision (F5D8232-4) and an N1 Wireless USB Adapter (F5D8051), N1 Wireless Notebook Card (F5D8011), N1 Wireless ExpressCard Adapter (F5D8071), or N1 Wireless Desktop Card (F5D8001).


RoHS


FOR HOME OR OFFICE USE

Made in China


P58653 • Part # F5D8232-4

7 22868 63092 1







(ROUTER INSERT)




(BOTTOM TRAY)




(ROUTER LID INSERT)




(TOP TRAY)



(POWER CORD BOX)



(USB CORD BOX)



(PET STRAP)